



USB Port Kit



The USB Port Kit makes it easy for users to recharge their smartphones via the street lighting network.

It has a USB port, 5 V power and a fuse switch disconnecter with a 2 A fuse. It can be fitted on any lamppost with a minimum inner diameter of 110 mm.

It is delivered pre-wired (cable length 1 m) to make it easy to attach to the lamppost quickly using a screw.

Power and fuse switch disconnecter to be integrated into the junction box at the base of the lamppost.

Available in a Junction box + USB kit.

ADVANTAGES

Can be used to recharge any device powered by a USB port (5 V / 0.5 A – Type 1/2/3).

Easy access and self-service use: the port is positioned directly on the street lighting lampposts.

Quick and easy to install: USB Port Kit delivered pre-wired with power and protection.

TECHNICAL CHARACTERISTICS

Kit Content

- A pre-wired USB port, to be connected to 5 V power source.
- Fuse switch disconnecter with 2 A fuse.
- 5 V power supply.

Operating temperatures

- -25°C/+45°C (thermal switch).
- Class 2 – IP 44 (excluding cable entry).

USB Port

- USB Type A connection.

Power supply

- Input: 100-240 V_{ac} / 220 mA / 50-60 Hz.
- Output: 5 V_{dc} / 0.5 A.

Product standards

- IEC 61439-2.
- EN 60950-1 (power supply).

Standard colour: ■■■

Mounting

- On the lamppost – 2 screws provided.

Delivery

- Pre-wired with 1 m cable.

